

Reference List Chondro-Gide®

Please note: Chondro-Gide® is not available in all markets. Availability is subject to the regulatory or medical practices that govern individual markets.

AMIC® Chondro-Gide® in the KNEE

Case series

1. Astur, D. C., *et al.* (2018). "Surgical treatment of chondral knee defects using a collagen membrane - autologous matrix-induced chondrogenesis." *Rev Bras Ortop* **53**(6): 733-739.
<https://www.ncbi.nlm.nih.gov/pubmed/30377608>
2. Bertho, P., *et al.* (2018). "Treatment of large deep osteochondritis lesions of the knee by autologous matrix-induced chondrogenesis (AMIC): Preliminary results in 13 patients." *Orthop Traumatol Surg Res* **104**(5): 695-700. <https://www.ncbi.nlm.nih.gov/pubmed/29935334>
3. Chen Chou, A. C., *et al.* (2020). "Clinical Outcomes of an All-Arthroscopic Technique for Single-Stage Autologous Matrix-Induced Chondrogenesis in the Treatment of Articular Cartilage Lesions of the Knee." *Arthrosc Sports Med Rehabil* **2**(4): e353-e359.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7451857/pdf/main.pdf>
4. Dhollander, A., *et al.* (2014). "Treatment of patellofemoral cartilage defects in the knee by autologous matrix-induced chondrogenesis (AMIC)." *Acta Orthop Belg* **80**(2): 251-259.
<https://www.ncbi.nlm.nih.gov/pubmed/25090800>
5. Dhollander, A. A., *et al.* (2011). "Autologous matrix-induced chondrogenesis combined with platelet-rich plasma gel: technical description and a five pilot patients report." *Knee Surg Sports Traumatol Arthrosc* **19**(4): 536-542.
<https://www.ncbi.nlm.nih.gov/pubmed/21153540>
6. Gille, J., *et al.* (2013). "Outcome of Autologous Matrix Induced Chondrogenesis (AMIC) in cartilage knee surgery: Data of the AMIC Registry." *Archives of Orthopaedic and Trauma Surgery* **133**(1): 87-93.
<https://www.ncbi.nlm.nih.gov/pubmed/23070222>
7. Gille, J., *et al.* (2021). "Autologous Matrix-Induced Chondrogenesis for Treatment of Focal Cartilage Defects in the Knee: A Follow-up Study." *Orthopaedic Journal of Sports Medicine* **9**(2): 2325967120981872.
<https://doi.org/10.1177/2325967120981872>
8. Gobbi, A., *et al.* (2014). "One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee." *Am J Sports Med* **42**(3): 648-657.
<https://www.ncbi.nlm.nih.gov/pubmed/24458240>
9. Gobbi, A., *et al.* (2011). "One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up." *Cartilage* **2**(3): 286-299.
<https://www.ncbi.nlm.nih.gov/pubmed/26069587>

10. Gudas, R., *et al.* (2019). "Clinical outcome after treatment of single and multiple cartilage defects by autologous matrix-induced chondrogenesis." *J Orthop Surg (Hong Kong)* **27**(2): 2309499019851011. <https://www.ncbi.nlm.nih.gov/pubmed/31146653>
11. Hoburg, A., *et al.* (2018). "Treatment of osteochondral defects with a combination of bone grafting and AMIC technique." *Archives of Orthopaedic and Trauma Surgery* **138**(8): 1117-1126. <http://dx.doi.org/10.1007/s00402-018-2944-7>
12. Kaiser, N., *et al.* (2020). "Stable clinical long term results after AMIC in the aligned knee." *Arch Orthop Trauma Surg.* <https://www.ncbi.nlm.nih.gov/pubmed/32794150>
13. Kusano, T., *et al.* (2012). "Treatment of isolated chondral and osteochondral defects in the knee by autologous matrix-induced chondrogenesis (AMIC)." *Knee Surg Sports Traumatol Arthrosc* **20**(10): 2109-2115. <https://www.ncbi.nlm.nih.gov/pubmed/22198419>
14. Lahner, M., *et al.* (2018). "Cartilage Surgery in Overweight Patients: Clinical and MRI Results after the Autologous Matrix-Induced Chondrogenesis Procedure." *Biomed Res Int* **2018**: 6363245. <https://www.ncbi.nlm.nih.gov/pubmed/29854770>
15. Miyahira, M. K. C., *et al.* (2020). "Lesões condrais maiores tratadas com uso de membrana de colágeno – Condrogênese autóloga induzida por matriz - Apresentam maior aumento nos escores clínicos." *Rev Bras Ortop (Sao Paulo)*(EFirst). <https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-0040-1712493?articleLanguage=en>
16. Sadlik, B., *et al.* (2017). "All-Arthroscopic Autologous Matrix-Induced Chondrogenesis-Aided Repair of a Patellar Cartilage Defect Using Dry Arthroscopy and a Retraction System." *J Knee Surg* **30**(9): 925-929. <https://www.ncbi.nlm.nih.gov/pubmed/28282672>
17. Schiavone Panni, A., *et al.* (2018). "Good clinical results with autologous matrix-induced chondrogenesis (AMIC) technique in large knee chondral defects." *Knee Surg Sports Traumatol Arthrosc* **26**(4): 1130-1136. <https://www.ncbi.nlm.nih.gov/pubmed/28324152>
18. Tradati, D., *et al.* (2020). "AMIC-Autologous Matrix-Induced Chondrogenesis Technique in Patellar Cartilage Defects Treatment: A Retrospective Study with a Mid-Term Follow-Up." *J Clin Med* **9**(4). <https://www.ncbi.nlm.nih.gov/pubmed/32326092>
19. Waltenspül, M., *et al.* (2021). "Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years." *CARTILAGE*: 19476035211021908. <https://doi.org/10.1177/19476035211021908>

Case Control

20. Migliorini, F., *et al.* (2021). "Management of Patellar Chondral Defects with Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures: A Four Years Follow-Up Clinical Trial." *Life (Basel)* **11**(2). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7918926/>
21. Migliorini, F., *et al.* (2021). "Autologous Matrix-Induced Chondrogenesis (AMIC) and Microfractures for Focal Chondral Defects of the Knee: A Medium-Term Comparative Study." *Life (Basel)* **11**(3). <https://pubmed.ncbi.nlm.nih.gov/33669015/>

22. Schagemann, J., *et al.* (2018). "Mid-term outcome of arthroscopic AMIC for the treatment of articular cartilage defects in the knee joint is equivalent to mini-open procedures." *Arch Orthop Trauma Surg* **138**(6): 819-825. <https://www.ncbi.nlm.nih.gov/pubmed/29356942>

RCT

23. Anders, S., *et al.* (2013). "A Randomized, Controlled Trial Comparing Autologous Matrix-Induced Chondrogenesis (AMIC(R)) to Microfracture: Analysis of 1- and 2-Year Follow-Up Data of 2 Centers." *Open Orthop J* **7**: 133-143. <https://www.ncbi.nlm.nih.gov/pubmed/23730377>
24. de Girolamo, L., *et al.* (2019). "Autologous Matrix-Induced Chondrogenesis (AMIC) and AMIC Enhanced by Autologous Concentrated Bone Marrow Aspirate (BMAC) Allow for Stable Clinical and Functional Improvements at up to 9 Years Follow-Up: Results from a Randomized Controlled Study." *J Clin Med* **8**(3). <https://www.ncbi.nlm.nih.gov/pubmed/30901900>
25. Fossum, V., *et al.* (2019). "Collagen-Covered Autologous Chondrocyte Implantation Versus Autologous Matrix-Induced Chondrogenesis: A Randomized Trial Comparing 2 Methods for Repair of Cartilage Defects of the Knee." *Orthopaedic Journal of Sports Medicine* **7**(9): 2325967119868212. <https://pubmed.ncbi.nlm.nih.gov/23730377/>
26. Volz, M., *et al.* (2017). "A randomized controlled trial demonstrating sustained benefit of Autologous Matrix-Induced Chondrogenesis over microfracture at five years." *Int Orthop* **41**(4): 797-804. <https://www.ncbi.nlm.nih.gov/pubmed/28108777>

Meta-analysis

27. Kim, J., *et al.* (2020). "Clinical and Radiological Outcomes After Autologous Matrix-Induced Chondrogenesis Versus Microfracture of the Knee: A Systematic Review and Meta-analysis With a Minimum 2-Year Follow-up." *Orthopaedic Journal of Sports Medicine* **8**(11): 2325967120959280. <https://doi.org/10.1177/2325967120959280>
28. Steinwachs, M. R., *et al.* (2019). "Systematic Review and Meta-Analysis of the Clinical Evidence on the Use of Autologous Matrix-Induced Chondrogenesis in the Knee." *Cartilage*: 1947603519870846. <https://www.ncbi.nlm.nih.gov/pubmed/31508990>

Systematic Review

29. Bark, S., *et al.* (2014). "Enhanced microfracture techniques in cartilage knee surgery: Fact or fiction?" *World J Orthop* **5**(4): 444-449. <https://www.ncbi.nlm.nih.gov/pubmed/25232520>
30. da Cunha, C. B., *et al.* (2020). "Enhanced microfracture using acellular scaffolds improves results after treatment of symptomatic focal grade III/IV knee cartilage lesions but current clinical evidence does not allow unequivocal recommendation." *Knee Surg Sports Traumatol Arthrosc.* <https://www.ncbi.nlm.nih.gov/pubmed/31894366>

31. Gao, L., *et al.* (2019). "Autologous matrix-induced chondrogenesis: a systematic review of the clinical evidence." *The American journal of sports medicine* **47**(1): 222-231. <https://journals.sagepub.com/doi/pdf/10.1177/0363546517740575>
32. Karpinski, K., *et al.* (2021). "Matrix-induced chondrogenesis is a valid and safe cartilage repair option for small-to medium-sized cartilage defects of the knee: a systematic review." *Knee Surg Sports Traumatol Arthrosc.* <https://www.ncbi.nlm.nih.gov/pubmed/33743030>
33. Lee, Y. H. D., *et al.* (2014). "Autologous Matrix-Induced Chondrogenesis in the Knee: A Review." *Cartilage* **5**(3): 145-153. <https://www.ncbi.nlm.nih.gov/pubmed/26069694>
34. Shaikh, N., *et al.* (2017). "Systematic review on the use of autologous matrix-induced chondrogenesis for the repair of articular cartilage defects in patients." *World J Orthop* **8**(7): 588-601. <https://www.ncbi.nlm.nih.gov/pubmed/28808630>

Case Reports & Expert Opinions

35. Benthien, J. P., *et al.* (2010). "Autologous matrix-induced chondrogenesis (AMIC). A one-step procedure for retropatellar articular resurfacing." *Acta Orthop Belg* **76**(2): 260-263. <https://www.ncbi.nlm.nih.gov/pubmed/20503954>
36. Benthien, J. P., *et al.* (2011). "The treatment of chondral and osteochondral defects of the knee with autologous matrix-induced chondrogenesis (AMIC): method description and recent developments." *Knee Surg Sports Traumatol Arthrosc* **19**(8): 1316-1319. <https://www.ncbi.nlm.nih.gov/pubmed/21234543>
37. de Girolamo, L., *et al.* (2010). "Treatment of chondral defects of the knee with one step matrix-assisted technique enhanced by autologous concentrated bone marrow: in vitro characterisation of mesenchymal stem cells from iliac crest and subchondral bone." *Injury* **41**(11): 1172-1177. <https://www.ncbi.nlm.nih.gov/pubmed/20934693>
38. Felder, J. J., *et al.* (2015). "Advances and Current Concepts of Cartilage Repair in the Patellofemoral Joint." *Operative Techniques in Sports Medicine* **23**(2): 143-149. <https://www.sciencedirect.com/science/article/pii/S106018721500026X>
39. Miska, M., *et al.* (2012). "Reconstruction of a large osteochondral lesion of the distal tibia with an iliac crest graft and autologous matrix-induced chondrogenesis (AMIC): a case report." *J Foot Ankle Surg* **51**(5): 680-683. <https://www.ncbi.nlm.nih.gov/pubmed/22770901>
40. Pascarella, A., *et al.* (2010). "Treatment of articular cartilage lesions of the knee joint using a modified AMIC technique." *Knee Surg Sports Traumatol Arthrosc* **18**(4): 509-513. <https://www.ncbi.nlm.nih.gov/pubmed/20012016>
41. Piontek, T., *et al.* (2012). "All-arthroscopic AMIC procedure for repair of cartilage defects of the knee." *Knee Surg Sports Traumatol Arthrosc* **20**(5): 922-925. <https://www.ncbi.nlm.nih.gov/pubmed/21910000>

42. Sadlik, B., *et al.* (2014). "Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions." *Arthroscopy Techniques* **3**(1): e141-e144.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3986628/pdf/main.pdf>
43. Schuttler, S., *et al.* (2012). "Periosteal Transplantation Combined with the Autologous Matrix-Induced Chondrogenesis (AMIC) Technique in Isolated Patellofemoral Osteoarthritis: A Case Report." *Cartilage* **3**(2): 194-198. <https://pubmed.ncbi.nlm.nih.gov/26069633/>

Guidelines

44. Niemeyer, P. *et al.* (2018) "Significance of Matrix-augmented Bone Marrow Stimulation for Treatment of Cartilage Defects of the Knee: A Consensus Statement of the DGOU Working Group on Tissue Regeneration" *Z Orthop Unfall* <https://doi.org/10.1055/a-0591-6457>

AMIC® Chondro-Gide® in the ANKLE

Case Series

45. Ahrend, M.-D., *et al.* (2020). "Preexisting and treated concomitant ankle instability does not compromise patient-reported outcomes of solitary osteochondral lesions of the talus treated with matrix-induced bone marrow stimulation in the first postoperative year: data from the German Cartilage Registry (KnorpelRegister DGOU)." *Knee Surgery, Sports Traumatology, Arthroscopy*. <https://doi.org/10.1007/s00167-020-06172-5>
46. Ayyaswamy, B., *et al.* (2020). "Early to medium term outcomes of osteochondral lesions of the talus treated by autologous matrix induced chondrogenesis (AMIC)." *Foot Ankle Surg*.
<https://www.ncbi.nlm.nih.gov/pubmed/32414700>
47. Baumfeld, T., *et al.* (2018). "All-arthroscopic AMIC((R)) (AT-AMIC) for the treatment of talar osteochondral defects: A short follow-up case series." *Foot (Edinb)* **37**: 23-27. <https://www.ncbi.nlm.nih.gov/pubmed/30321855>
48. Casari, F. A., *et al.* (2020). "The Role of Magnetic Resonance Imaging in Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: Analyzing MOCART 1 and 2.0." *CARTILAGE*: 1947603520946382. <https://doi.org/10.1177/1947603520946382>
49. D'Ambrosi, R., *et al.* (2017). "Osteochondral Lesions of the Talus and Autologous Matrix-Induced Chondrogenesis: Is Age a Negative Predictor Outcome?" *Arthroscopy* **33**(2): 428-435.
<https://www.ncbi.nlm.nih.gov/pubmed/27956234>
50. D'Ambrosi, R., *et al.* (2017). "Combining Microfractures, Autologous Bone Graft, and Autologous Matrix-Induced Chondrogenesis for the Treatment of Juvenile Osteochondral Talar Lesions." *Foot Ankle Int* **38**(5): 485-495. <https://www.ncbi.nlm.nih.gov/pubmed/28076977>
51. D'Ambrosi, R., *et al.* (2019). "Return to Sport After Arthroscopic Autologous Matrix-Induced Chondrogenesis for Patients With Osteochondral Lesion of the Talus." *Clin J Sport Med* **29**(6): 470-475.
<https://www.ncbi.nlm.nih.gov/pubmed/31688177>

52. Galla, M., *et al.* (2019). "Open reconstruction with autologous spongiosa grafts and matrix-induced chondrogenesis for osteochondral lesions of the talus can be performed without medial malleolar osteotomy." *Knee Surg Sports Traumatol Arthrosc* **27**(9): 2789-2795. <https://www.ncbi.nlm.nih.gov/pubmed/30019075>
53. Gottschalk, O., *et al.* (2017). "Functional Medium-Term Results After Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A 5-Year Prospective Cohort Study." *J Foot Ankle Surg* **56**(5): 930-936. <https://www.ncbi.nlm.nih.gov/pubmed/28647522>
54. Gottschalk, O., *et al.* (2020). "Influence of the Medial Malleolus Osteotomy on the Clinical Outcome of M-BMS + I/III Collagen Scaffold in Medial Talar Osteochondral Lesion (German Cartilage Register/Knorpelregister DGOU)." *Cartilage*: 1947603520961169. <https://www.ncbi.nlm.nih.gov/pubmed/33030049>
55. Götze, C., *et al.* (2020). "AMIC for Focal Osteochondral Defect of the Talar Shoulder. ." *Life* **10**: 328. <https://pubmed.ncbi.nlm.nih.gov/33291383/>
56. Kubosch, E. J., *et al.* (2016). "Clinical outcome and T2 assessment following autologous matrix-induced chondrogenesis in osteochondral lesions of the talus." *Int Orthop* **40**(1): 65-71. <https://www.ncbi.nlm.nih.gov/pubmed/26346373>
57. Murphy, E. P., *et al.* (2019). "Matrix-associated stem cell transplantation is successful in treating talar osteochondral lesions." *Knee Surg Sports Traumatol Arthrosc* **27**(9): 2737-2743. <https://www.ncbi.nlm.nih.gov/pubmed/30888452>
58. Richter, M., *et al.* (2013). "Matrix-associated stem cell transplantation (MAST) in chondral defects of foot and ankle is effective." *Foot and Ankle Surgery* **19**(2): 84-90. <https://www.ncbi.nlm.nih.gov/pubmed/23548448>
59. Richter, M., *et al.* (2019). "Matrix-associated stem cell transplantation (MAST) in chondral lesions at the ankle as part of a complex surgical approach- 5-year-follow-up in 100 patients." *Foot and Ankle Surgery* **25**(3): 264-271. <https://www.ncbi.nlm.nih.gov/pubmed/29409182>
60. Sadlik, B., *et al.* (2019). "Surgical repair of osteochondral lesions of the talus using biologic inlay osteochondral reconstruction: Clinical outcomes after treatment using a medial malleolar osteotomy approach compared to an arthroscopically-assisted approach." *Foot and Ankle Surgery* **25**(4): 449-456. <https://www.ncbi.nlm.nih.gov/pubmed/30321967>
61. Uselli, F. G., *et al.* (2018). "All-arthroscopic AMIC((R)) (AT-AMIC((R))) technique with autologous bone graft for talar osteochondral defects: clinical and radiological results." *Knee Surg Sports Traumatol Arthrosc* **26**(3): 875-881. <https://www.ncbi.nlm.nih.gov/pubmed/27620469>
62. Uselli, F. G., *et al.* (2017). "The Impact of Weight on Arthroscopic Osteochondral Talar Reconstruction." *Foot Ankle Int* **38**(6): 612-620. <https://pubmed.ncbi.nlm.nih.gov/28379733/>
63. Valderrabano, V., *et al.* (2014). "Osteochondral lesions of the ankle joint in professional soccer players: treatment with autologous matrix-induced chondrogenesis." *Foot Ankle Spec* **7**(6): 522-528. <https://www.ncbi.nlm.nih.gov/pubmed/25037954>
64. Viehofer, A. F., *et al.* (2020). "Smoking Is Associated with Anterior Ankle Impingement After Isolated Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus." *Cartilage*: 1947603520959405. <https://www.ncbi.nlm.nih.gov/pubmed/32940049>

65. Weigelt, L., *et al.* (2019). "Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A Clinical and Radiological 2- to 8-Year Follow-up Study." *Am J Sports Med* **47**(7): 1679-1686. <https://www.ncbi.nlm.nih.gov/pubmed/31084491>
66. Wiewiorski, M., *et al.* (2013). "Delayed gadolinium-enhanced MRI of cartilage of the ankle joint: results after autologous matrix-induced chondrogenesis (AMIC)-aided reconstruction of osteochondral lesions of the talus." *Clin Radiol* **68**(10): 1031-1038. <https://pubmed.ncbi.nlm.nih.gov/23809267/>
67. Wiewiorski, M., *et al.* (2016). "Sports Activity After Reconstruction of Osteochondral Lesions of the Talus With Autologous Spongiosa Grafts and Autologous Matrix-Induced Chondrogenesis." *Am J Sports Med* **44**(10): 2651-2658. <https://www.ncbi.nlm.nih.gov/pubmed/27587743>

Case Control

68. Ackermann, J., *et al.* (2021). "Autologous Matrix-Induced Chondrogenesis With Lateral Ligament Stabilization for Osteochondral Lesions of the Talus in Patients With Ankle Instability." *Orthopaedic Journal of Sports Medicine* **9**(5): 23259671211007439. <https://doi.org/10.1177/23259671211007439>
69. Becher, C., *et al.* (2019). "Arthroscopic microfracture vs. arthroscopic autologous matrix-induced chondrogenesis for the treatment of articular cartilage defects of the talus." *Knee Surg Sports Traumatol Arthrosc* **27**(9): 2731-2736. <https://www.ncbi.nlm.nih.gov/pubmed/30392029>
70. Migliorini, F., *et al.* (2021). "Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures for Chondral Defects of the Talar Shoulder: A Five-Year Follow-Up Prospective Cohort Study." *Life* **11**(3): 244. <https://www.mdpi.com/2075-1729/11/3/244>
71. Richter, M., *et al.* (2019). "Comparison Matrix-Associated Stem Cell Transplantation (MAST) with Autologous Matrix Induced Chondrogenesis plus Peripheral Blood Concentrate (AMIC + PBC) in Chondral Lesions at the Ankle—A clinical matched-patient analysis." *Foot and Ankle Surgery* **15**(19): 30141-9. <https://www.ncbi.nlm.nih.gov/pubmed/31548148>

Systematic Review

72. Migliorini, F., *et al.* (2021). "Matrix-induced autologous chondrocyte implantation versus autologous matrix-induced chondrogenesis for chondral defects of the talus: a systematic review." *Br Med Bull*. <https://www.ncbi.nlm.nih.gov/pubmed/33940611>

Meta-Analysis

73. Walther, M., *et al.* (2020). "Is there clinical evidence to support autologous matrix-induced chondrogenesis (AMIC) for chondral defects in the talus? A systematic review and meta-analysis." *Foot and Ankle Surgery*. <https://pubmed.ncbi.nlm.nih.gov/32811744/>

Guidelines

74. Aurich, M., *et al.* (2017). "[Treatment of Osteochondral Lesions in the Ankle: A Guideline from the Group "Clinical Tissue Regeneration" of the German Society of Orthopaedics and Traumatology (DGOU)]." *Z Orthop Unfall* **155**(1): 92-99. <https://www.ncbi.nlm.nih.gov/pubmed/27769090>

Case Reports & Expert Opinions

75. Hotfiel, T., *et al.* (2015). "[Osteochondritis Dissecans of the Talus with Hindfoot Malalignment--Autologous Matrix-Induced Chondrogenesis with Lateral Calcaneal Distraction Osteotomy in an Internationally Successful Young Female Ski Racer]." *Sportverletz Sportschaden* **29**(2): 118-121. <https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-0034-1385017>
76. Kim, B. S., *et al.* (2020). "Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis." *J Korean Foot Ankle Soc* **24**(2): 61-68. <https://www.koreamed.org/SearchBasic.php?RID=2502911>
77. Piontek, T., *et al.* (2015). "Arthroscopic Treatment of Chondral and Osteochondral Defects in the Ankle Using the Autologous Matrix-Induced Chondrogenesis Technique." *Arthrosc Tech* **4**(5): e463-469. <https://www.ncbi.nlm.nih.gov/pubmed/26697305>
78. Syed, F., *et al.* (2014). "Management of recurrent multiple osteochondral lesions of the talus (OCLT) in a young active patient." *J Clin Orthop Trauma* **5**(2): 99-102. <https://www.ncbi.nlm.nih.gov/pubmed/25983479>
79. Usuelli, F. G., *et al.* (2015). "All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Treatment of Osteochondral Lesions of the Talus." *Arthroscopy Techniques* **4**(3): e255-e259. <https://www.ncbi.nlm.nih.gov/pubmed/26258040>
80. Walther, M., *et al.* (2013). " Scaffold based reconstruction of focal full thickness talar cartilage defects." *Clinical Research on Foot & Ankle* **1**(2): 1-5. <https://www.omicsonline.org/open-access/scaffold-based-reconstruction-of-focal-full-thickness-talar-cartilage-defects-2329-910X.1000115.pdf>
81. Wiewiorski, M., *et al.* (2013). "Autologous matrix-induced chondrogenesis in osteochondral lesions of the talus." *Foot Ankle Clin* **18**(1): 151-158. <https://www.ncbi.nlm.nih.gov/pubmed/23465954>
82. Wiewiorski, M., *et al.* (2011). "Autologous matrix-induced chondrogenesis aided reconstruction of a large focal osteochondral lesion of the talus." *Arch Orthop Trauma Surg* **131**(3): 293-296. <https://www.ncbi.nlm.nih.gov/pubmed/20091174>
83. Wiewiorski, M., *et al.* (2012). "Revision of failed osteochondral autologous transplantation procedure for chronic talus osteochondral lesion with iliac crest graft and autologous matrix-induced chondrogenesis: a case report." *Foot Ankle Spec* **5**(2): 115-120. <https://www.ncbi.nlm.nih.gov/pubmed/22293389>

AMIC® Chondro-Gide® in the HIP

Case Series

84. Goeminne, S., *et al.* (2016). "Arthroscopic Treatment of Acetabular Cartilage Lesions in Cam-Type Hip Impingement with Membrane Induced Chondrogenesis versus Microfracturing." *Journal of Sports Science* **4**: 9-17. <http://www.davidpublisher.org/index.php/Home/Article/index?id=24729.html>
85. Leibold, C. S., *et al.* (2019). "Femoral osteotomies for the treatment of avascular necrosis of the femoral head." *Oper Orthop Traumatol*. <https://www.ncbi.nlm.nih.gov/pubmed/31784775>

86. Steppacher, S. D., *et al.* (2020). "Surgical hip dislocation with femoral osteotomy and bone grafting prevents head collapse in hips with advanced necrosis." *Hip Int* **30**(4): 398-406.
<https://pubmed.ncbi.nlm.nih.gov/31204506/>
87. Thorey, F., *et al.* (2020). "Sustained benefit of autologous matrix-induced chondrogenesis for hip cartilage repair in a recreational athletic population." *Knee Surg Sports Traumatol Arthrosc* **28**(7): 2309-2315.
<https://www.ncbi.nlm.nih.gov/pubmed/31781800>
88. Leunig, M., *et al.* (2012). "Surgical technique: Second-generation bone marrow stimulation via surgical dislocation to treat hip cartilage lesions." *Clin Orthop Relat Res* **470**(12): 3421-3431.
<https://www.ncbi.nlm.nih.gov/pubmed/22773396>

Case Control

89. de Girolamo, L., *et al.* (2018). "Acetabular Chondral Lesions Associated With Femoroacetabular Impingement Treated by Autologous Matrix-Induced Chondrogenesis or Microfracture: A Comparative Study at 8-Year Follow-Up." *Arthroscopy - Journal of Arthroscopic and Related Surgery* **34**(11): 3012-3023.
<https://www.ncbi.nlm.nih.gov/pubmed/30266548>
90. Fontana, A., *et al.* (2015). "Sustained five-year benefit of autologous matrix-induced chondrogenesis for femoral acetabular impingement-induced chondral lesions compared with microfracture treatment." *Bone Joint J* **97-B**(5): 628-635. <https://www.ncbi.nlm.nih.gov/pubmed/25922456>
91. Mancini, D., *et al.* (2014). "Five-year results of arthroscopic techniques for the treatment of acetabular chondral lesions in femoroacetabular impingement." *Int Orthop* **38**(10): 2057-2064.
<https://www.ncbi.nlm.nih.gov/pubmed/24951948>
92. Sobti, A., *et al.* (2020). "Autologous matrix-induced chondrogenesis and bone marrow aspirate concentrate compared with microfracture for arthroscopic treatment of femoroacetabular impingement and chondral lesions of the hip: bridging the osteoarthritis gap and facilitating enhanced recovery " *J Hip Preserv Surg*: 1-8.
<https://pubmed.ncbi.nlm.nih.gov/33948205/>

Systematic Review

93. Hotham, W. E., *et al.* (2018). "A systematic review of surgical methods to restore articular cartilage in the hip." *Bone Joint Res* **7**(5): 336-342. <https://www.ncbi.nlm.nih.gov/pubmed/29922453>

Guidelines

94. Fickert, S., *et al.* (2017). "[Biologic Reconstruction of Full Sized Cartilage Defects of the Hip: A Guideline from the DGOU Group "Clinical Tissue Regeneration" and the Hip Committee of the AGA]." *Z Orthop Unfall* **155**(6): 670-682. <https://www.ncbi.nlm.nih.gov/pubmed/28915523>
95. Jannelli, E., *et al.* (2017). "Arthroscopic treatment of chondral defects in the hip: AMIC, MACI, microfragmented adipose tissue transplantation (MATT) and other options." *SICOT J* **3**: 43.
<https://www.ncbi.nlm.nih.gov/pubmed/28589877>
96. Jannelli, E., *et al.* (2020). "Il ruolo dell'artroscopia d'anca nel trattamento delle lesioni condrali acetabolari: stato dell'arte tra passato e futuro." Il ruolo dell'artroscopia d'anca nel trattamento delle lesioni condrali acetabolari:

stato dell'arte tra passato e futuro **46**: 32-39. https://www.giot.it/wp-content/uploads/2020/04/06_Punto_su_Jannelli-1.pdf

Case Reports & Expert Opinions

97. Fontana, A. (2012). "A Novel Technique for Treating Cartilage Defects in the Hip: A Fully Arthroscopic Approach to Using Autologous Matrix-Induced Chondrogenesis." *Arthroscopy Techniques* **1**(1): e63-e68. <https://pubmed.ncbi.nlm.nih.gov/23766978/>

AMIC® Chondro-Gide® in the METATARSOPHALANAGEAL

Case Series

98. Nurmukhametov, M., *et al.* (2020). "Use Of First Metatarsophalangeal Joint Chondroplasty With The Autologous Matrix-Induced Chondrogenesis Technique For The Treatment Of Patients With Hallux Rigidus: Immediate Results. ." *Rheumatology Science and Practice* **58**(1): 97-101. <https://rsp.elpub.ru/rsp/article/view/2849/1935>
99. Nurmukhametov, M. R., *et al.* (2020). "The Use of Autologous Matrix-Induced Chondrogenesis as a Surgical Treatment for Patients with the First Metatarsophalangeal Joint Osteoarthritis: Immediate and Medium-Term Results." *Cartilage*: 1947603520958127. <https://www.ncbi.nlm.nih.gov/pubmed/32917097>
100. Richter, M., *et al.* (2017). "Matrix-associated stem cell transplantation (MAST) in chondral defects of the 1st metatarsophalangeal joint is safe and effective-2-year-follow-up in 20 patients." *Foot and Ankle Surgery* **23**(3): 195-200. <https://www.ncbi.nlm.nih.gov/pubmed/28865590>
101. Richter, M., *et al.* (2019). "Mid-term (4–7 years) results of matrix-associated stem cell transplantation (MAST) in chondral defects of the first metatarsophalangeal joint." *Fuß & Sprunggelenk* **17**(1): 11-20. <https://www.sciencedirect.com/science/article/pii/S1619998718301697>

Case Control

102. Richter, M., *et al.* (2020). "Matrix-associated stem cell transplantation (MAST) versus autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint – A clinical cohort analysis." *Fuß & Sprunggelenk* **18**(3): 217-226. <https://www.sciencedirect.com/science/article/pii/S1619998720300763>

AMIC® Chondro-Gide® in the SHOULDER

Case Series

103. Cuéllar, A., *et al.* (2016). "The Use of All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Management of Humeral and Glenoid Chondral Defects in the Shoulder." *Arthroscopy Techniques* 5(2): e223-e227. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4912974/pdf/main.pdf>

Case Report

104. Buchmann, S., *et al.* (2012). "Early clinical and structural results after autologous chondrocyte transplantation at the glenohumeral joint." *J Shoulder Elbow Surg* 21(9): 1213-1221. <https://www.ncbi.nlm.nih.gov/pubmed/22047789>