

## Table of Contents

1	AMIC KNEE .....	2
1.1	Case series .....	2
1.2	Case Control .....	3
1.3	RCT .....	4
1.4	Meta-analysis .....	4
1.5	Systematic Review .....	4
1.6	Case Reports & Expert Opinions .....	5
2	AMIC Patellofemoral .....	6
2.1	Case Control .....	6
2.2	Case series .....	6
2.3	Case Reports .....	6
3	AMIC ANKLE .....	7
3.1	Case Series .....	7
3.2	Case Control .....	9
3.3	Systematic Review .....	9
3.4	Meta-Analysis .....	9
3.5	Guidelines .....	9
3.6	Case Reports & Expert Opinions .....	10
4	AMIC HIP .....	11
4.1	Case Series .....	11
4.2	Case Control .....	11
4.3	Systematic Review .....	11
4.4	Guidelines .....	11
4.5	Case Reports & Expert Opinions .....	12
5	AMIC METATARSOPHALANAGEAL .....	13
5.1	Case Series .....	13
5.2	Case Control .....	13
6	AMIC UPPER EXTREMITY .....	14
6.1	Case Series .....	14
6.2	Case Report .....	14
7	Hyaline-like cartilage with Chondro-Gide .....	15

## 1 AMIC KNEE

### 1.1 Case series

1. Bakowski P, et al. (2022) Autologous Matrix-Induced Chondrogenesis (AMIC) for Focal Chondral Lesions of the Knee: A 2-Year Follow-Up of Clinical, Proprioceptive, and Isokinetic Evaluation. *J Funct Biomater*.13(4).  
<https://www.ncbi.nlm.nih.gov/pubmed/36547537>
2. Gille J, et al., Autologous Matrix-Induced Chondrogenesis for Treatment of Focal Cartilage Defects in the Knee: A Follow-up Study. *Orthopaedic Journal of Sports Medicine*. 2021;9(2):2325967120981872. <https://doi.org/10.1177/2325967120981872>
3. Waltenspül M, et al., Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years. *CARTILAGE*. 2021:19476035211021908. <https://pubmed.ncbi.nlm.nih.gov/34116609/>
4. Chen Chou AC, et al., Clinical Outcomes of an All-Arthroscopic Technique for Single-Stage Autologous Matrix-Induced Chondrogenesis in the Treatment of Articular Cartilage Lesions of the Knee. *Arthrosc Sports Med Rehabil*. 2020;2(4):e353-e9.  
<https://pubmed.ncbi.nlm.nih.gov/32875300/>
5. Kaiser N, et al., Stable clinical long term results after AMIC in the aligned knee. *Arch Orthop Trauma Surg*. 2020. <https://www.ncbi.nlm.nih.gov/pubmed/32794150>
6. Miyahira MKC, et al., Larger Chondral Lesions Treated with Collagen Membrane - Matrix-Induced Autologous Chondrogenesis - Show Larger Increase in Clinical Scores. *Rev Bras Ortop (Sao Paulo)*. 2020(EFirst). <https://www.ncbi.nlm.nih.gov/pubmed/34239198>
7. Otašević T, et al., [Two-Year Results of Modified AMIC Technique for Treatment of Cartilage Defects of the Knee]. *Acta chirurgiae orthopaedicae et traumatologiae Cechoslovaca*. 2020;87(3):167-74. <https://pubmed.ncbi.nlm.nih.gov/32773017/>
8. Tradati D, et al., AMIC-Autologous Matrix-Induced Chondrogenesis Technique in Patellar Cartilage Defects Treatment: A Retrospective Study with a Mid-Term Follow-Up. *J Clin Med*. 2020;9(4). <https://www.ncbi.nlm.nih.gov/pubmed/32326092>
9. Gudas R, et al., Clinical outcome after treatment of single and multiple cartilage defects by autologous matrix-induced chondrogenesis. *J Orthop Surg (Hong Kong)*. 2019;27(2):2309499019851011. <https://www.ncbi.nlm.nih.gov/pubmed/31146653>
10. Hede K, et al., Combined Bone Marrow Aspirate and Platelet-Rich Plasma for Cartilage Repair: Two-Year Clinical Results. *Cartilage*. 2019:1947603519876329.  
<https://www.ncbi.nlm.nih.gov/pubmed/31538811>
11. Massen FK, et al., One-Step Autologous Minced Cartilage Procedure for the Treatment of Knee Joint Chondral and Osteochondral Lesions: A Series of 27 Patients With 2-Year Follow-up. *Orthopaedic Journal of Sports Medicine*. 2019;7(6).  
<https://www.ncbi.nlm.nih.gov/pubmed/31223628>
12. Astur DC, et al., Surgical treatment of chondral knee defects using a collagen membrane - autologous matrix-induced chondrogenesis. *Rev Bras Ortop*. 2018;53(6):733-9.  
<https://www.ncbi.nlm.nih.gov/pubmed/30377608>
13. Bertho P, et al., Treatment of large deep osteochondritis lesions of the knee by autologous matrix-induced chondrogenesis (AMIC): Preliminary results in 13 patients. *Orthop Traumatol Surg Res*. 2018;104(5):695-700.  
<https://www.ncbi.nlm.nih.gov/pubmed/29935334>
14. Hoburg A, et al., Treatment of osteochondral defects with a combination of bone grafting and AMIC technique. *Archives of Orthopaedic and Trauma Surgery*. 2018;138(8):1117-26.  
<http://dx.doi.org/10.1007/s00402-018-2944-7>

15. Lahner M, *et al.*, Cartilage Surgery in Overweight Patients: Clinical and MRI Results after the Autologous Matrix-Induced Chondrogenesis Procedure. *Biomed Res Int.* 2018;2018:6363245. <https://www.ncbi.nlm.nih.gov/pubmed/29854770>
16. Schiavone Panni A, *et al.*, Good clinical results with autologous matrix-induced chondrogenesis (AMIC) technique in large knee chondral defects. *Knee Surg Sports Traumatol Arthrosc.* 2018;26(4):1130-6. <https://www.ncbi.nlm.nih.gov/pubmed/28324152>
17. Sadlik B, *et al.*, All-Arthroscopic Autologous Matrix-Induced Chondrogenesis-Aided Repair of a Patellar Cartilage Defect Using Dry Arthroscopy and a Retraction System. *J Knee Surg.* 2017;30(9):925-9. <https://www.ncbi.nlm.nih.gov/pubmed/28282672>
18. Dhollander A, *et al.*, Treatment of patellofemoral cartilage defects in the knee by autologous matrix-induced chondrogenesis (AMIC). *Acta Orthop Belg.* 2014;80(2):251-9. <https://www.ncbi.nlm.nih.gov/pubmed/25090800>
19. Gobbi A, *et al.*, One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee. *Am J Sports Med.* 2014;42(3):648-57. <https://www.ncbi.nlm.nih.gov/pubmed/24458240>
20. Gille J, *et al.*, Outcome of Autologous Matrix Induced Chondrogenesis (AMIC) in cartilage knee surgery: Data of the AMIC Registry. *Archives of Orthopaedic and Trauma Surgery.* 2013;133(1):87-93. <https://pubmed.ncbi.nlm.nih.gov/23070222/>
21. Skowroński J, *et al.*, Large cartilage lesions of the knee treated with bone marrow concentrate and collagen membrane--results. *Ortop Traumatol Rehabil.* 2013;15(1):69-76. <https://pubmed.ncbi.nlm.nih.gov/23510816/>
22. Kusano T, *et al.*, Treatment of isolated chondral and osteochondral defects in the knee by autologous matrix-induced chondrogenesis (AMIC). *Knee Surg Sports Traumatol Arthrosc.* 2012;20(10):2109-15. <https://www.ncbi.nlm.nih.gov/pubmed/22198419>
23. Dhollander AA, *et al.*, Autologous matrix-induced chondrogenesis combined with platelet-rich plasma gel: technical description and a five pilot patients report. *Knee Surg Sports Traumatol Arthrosc.* 2011;19(4):536-42. <https://www.ncbi.nlm.nih.gov/pubmed/21153540>
24. Gobbi A, *et al.*, One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up. *Cartilage.* 2011;2(3):286-99. <https://www.ncbi.nlm.nih.gov/pubmed/26069587>
25. Schiavone Panni A, *et al.*, The management of knee cartilage defects with modified amic technique: preliminary results. *Int J Immunopathol Pharmacol.* 2011;24(1 Suppl 2):149-52. <https://www.ncbi.nlm.nih.gov/pubmed/21669155>

## 1.2 Case Control

26. Migliorini F, *et al.*, Management of Patellar Chondral Defects with Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures: A Four Years Follow-Up Clinical Trial. *Life (Basel).* 2021;11(2). <https://pubmed.ncbi.nlm.nih.gov/33668454/>
27. Migliorini F, *et al.*, Autologous Matrix-Induced Chondrogenesis (AMIC) and Microfractures for Focal Chondral Defects of the Knee: A Medium-Term Comparative Study. *Life (Basel).* 2021;11(3). <https://pubmed.ncbi.nlm.nih.gov/33669015/>
28. Schagemann J, *et al.*, Mid-term outcome of arthroscopic AMIC for the treatment of articular cartilage defects in the knee joint is equivalent to mini-open procedures. *Arch Orthop Trauma Surg.* 2018;138(6):819-25. <https://www.ncbi.nlm.nih.gov/pubmed/29356942>

### 1.3 RCT

29. de Girolamo L, *et al.*, Autologous Matrix-Induced Chondrogenesis (AMIC) and AMIC Enhanced by Autologous Concentrated Bone Marrow Aspirate (BMAC) Allow for Stable Clinical and Functional Improvements at up to 9 Years Follow-Up: Results from a Randomized Controlled Study. *J Clin Med.* 2019;8(3). <https://www.ncbi.nlm.nih.gov/pubmed/30901900>
30. Fossum V, *et al.*, Collagen-Covered Autologous Chondrocyte Implantation Versus Autologous Matrix-Induced Chondrogenesis: A Randomized Trial Comparing 2 Methods for Repair of Cartilage Defects of the Knee. *Orthopaedic Journal of Sports Medicine.* 2019;7(9):2325967119868212. <https://pubmed.ncbi.nlm.nih.gov/23730377/>
31. Volz M, *et al.*, A randomized controlled trial demonstrating sustained benefit of Autologous Matrix-Induced Chondrogenesis over microfracture at five years. *Int Orthop.* 2017;41(4):797-804. <https://www.ncbi.nlm.nih.gov/pubmed/28108777>
32. Anders S, *et al.*, A Randomized, Controlled Trial Comparing Autologous Matrix-Induced Chondrogenesis (AMIC(R)) to Microfracture: Analysis of 1- and 2-Year Follow-Up Data of 2 Centers. *Open Orthop J.* 2013;7:133-43. <https://www.ncbi.nlm.nih.gov/pubmed/23730377>

### 1.4 Meta-analysis

33. Migliorini F, *et al.*, Autologous matrix-induced chondrogenesis is effective for focal chondral defects of the knee. *Sci Rep.* 2022;12(1):9328. <https://www.ncbi.nlm.nih.gov/pubmed/35661147>
34. Migliorini F, *et al.*, Surgical management of focal chondral defects of the knee: a Bayesian network meta-analysis. *J Orthop Surg Res.* 2021;16(1):543. <https://www.ncbi.nlm.nih.gov/pubmed/34470628>
35. Steinwachs MR, *et al.*, Systematic Review and Meta-Analysis of the Clinical Evidence on the Use of Autologous Matrix-Induced Chondrogenesis in the Knee. *Cartilage.* 2019:1947603519870846. <https://www.ncbi.nlm.nih.gov/pubmed/31508990>

### 1.5 Systematic Review

36. Migliorini F, *et al.*, Matrix-induced autologous chondrocyte implantation (mACI) versus autologous matrix-induced chondrogenesis (AMIC) for chondral defects of the knee: a systematic review. *British Medical Bulletin.* 2022:ldac004. <https://doi.org/10.1093/bmb/ldac004>
37. Karpinski K, *et al.*, Matrix-induced chondrogenesis is a valid and safe cartilage repair option for small- to medium-sized cartilage defects of the knee: a systematic review. *Knee Surg Sports Traumatol Arthrosc.* 2021. <https://www.ncbi.nlm.nih.gov/pubmed/33743030>
38. da Cunha CB, *et al.*, Enhanced microfracture using acellular scaffolds improves results after treatment of symptomatic focal grade III/IV knee cartilage lesions but current clinical evidence does not allow unequivocal recommendation. *Knee Surg Sports Traumatol Arthrosc.* 2020. <https://www.ncbi.nlm.nih.gov/pubmed/31894366>
39. Kim J, *et al.*, Clinical and Radiological Outcomes After Autologous Matrix-Induced Chondrogenesis Versus Microfracture of the Knee: A Systematic Review and Meta-analysis With a Minimum 2-Year Follow-up. *Orthopaedic Journal of Sports Medicine.* 2020;8(11):2325967120959280. <https://pubmed.ncbi.nlm.nih.gov/33209942/>
40. Gao L, *et al.*, Autologous matrix-induced chondrogenesis: a systematic review of the clinical evidence. *The American journal of sports medicine.* 2019;47(1):222-31. <https://pubmed.ncbi.nlm.nih.gov/29161138/>
41. Shaikh N, *et al.*, Systematic review on the use of autologous matrix-induced chondrogenesis for the repair of articular cartilage defects in patients. *World J Orthop.* 2017;8(7):588-601. <https://www.ncbi.nlm.nih.gov/pubmed/28808630>

42. Wylie JD, *et al.*, Failures and Reoperations after Matrix-Assisted Cartilage Repair of the Knee: A Systematic Review. *Arthroscopy - Journal of Arthroscopic and Related Surgery*. 2016;32(2):386-92. <https://www.ncbi.nlm.nih.gov/pubmed/26422710>
43. Bark S, *et al.*, Enhanced microfracture techniques in cartilage knee surgery: Fact or fiction? *World J Orthop*. 2014;5(4):444-9. <https://www.ncbi.nlm.nih.gov/pubmed/25232520>
44. Lee YHD, *et al.*, Autologous Matrix-Induced Chondrogenesis in the Knee: A Review. *Cartilage*. 2014;5(3):145-53. <https://www.ncbi.nlm.nih.gov/pubmed/26069694>

## 1.6 Case Reports & Expert Opinions

45. Felder JJ, *et al.*, Advances and Current Concepts of Cartilage Repair in the Patellofemoral Joint. *Operative Techniques in Sports Medicine*. 2015;23(2):143-9. <https://www.sciencedirect.com/science/article/pii/S106018721500026X>
46. Sadlik B, *et al.*, Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions. *Arthroscopy Techniques*. 2014;3(1):e141-e4. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3986628/pdf/main.pdf>
47. de Girolamo L, *et al.*, Modified autologous matrix-induced chondrogenesis (AMIC) for the treatment of a large osteochondral defect in a varus knee: a case report. *Knee Surg Sports Traumatol Arthrosc*. 2012;20(11):2287-90. <https://pubmed.ncbi.nlm.nih.gov/22842652/>
48. Piontek T, *et al.*, All-arthroscopic AMIC procedure for repair of cartilage defects of the knee. *Knee Surg Sports Traumatol Arthrosc*. 2012;20(5):922-5. <https://www.ncbi.nlm.nih.gov/pubmed/21910000>
49. Schuttler S, *et al.*, Periosteal Transplantation Combined with the Autologous Matrix-Induced Chondrogenesis (AMIC) Technique in Isolated Patellofemoral Osteoarthritis: A Case Report. *Cartilage*. 2012;3(2):194-8. <https://pubmed.ncbi.nlm.nih.gov/26069633/>
50. Benthien JP, *et al.*, The treatment of chondral and osteochondral defects of the knee with autologous matrix-induced chondrogenesis (AMIC): method description and recent developments. *Knee Surg Sports Traumatol Arthrosc*. 2011;19(8):1316-9. <https://www.ncbi.nlm.nih.gov/pubmed/21234543>
51. Benthien JP, *et al.*, Autologous matrix-induced chondrogenesis (AMIC). A one-step procedure for retropatellar articular resurfacing. *Acta Orthop Belg*. 2010;76(2):260-3. <https://www.ncbi.nlm.nih.gov/pubmed/20503954>
52. Pascarella A, *et al.*, Treatment of articular cartilage lesions of the knee joint using a modified AMIC technique. *Knee Surg Sports Traumatol Arthrosc*. 2010;18(4):509-13. <https://www.ncbi.nlm.nih.gov/pubmed/20012016>

## 2 AMIC Patellofemoral

### 2.1 Case Control

53. Migliorini F, *et al.*, Management of Patellar Chondral Defects with Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures: A Four Years Follow-Up Clinical Trial. *Life (Basel)*. 2021;11(2). <https://pubmed.ncbi.nlm.nih.gov/33668454/>

### 2.2 Case series

54. Sadlik B, *et al.*, All-Arthroscopic Autologous Matrix-Induced Chondrogenesis-Aided Repair of a Patellar Cartilage Defect Using Dry Arthroscopy and a Retraction System. *J Knee Surg*. 2017;30(9):925-9. <https://www.ncbi.nlm.nih.gov/pubmed/28282672>
55. Tradati D, *et al.*, AMIC-Autologous Matrix-Induced Chondrogenesis Technique in Patellar Cartilage Defects Treatment: A Retrospective Study with a Mid-Term Follow-Up. *J Clin Med*. 2020;9(4). <https://www.ncbi.nlm.nih.gov/pubmed/32326092>
56. Waltenspül M, *et al.*, Autologous Matrix-Induced Chondrogenesis (AMIC) for Isolated Retropatellar Cartilage Lesions: Outcome after a Follow-Up of Minimum 2 Years. *CARTILAGE*. 2021:19476035211021908. <https://pubmed.ncbi.nlm.nih.gov/34116609/>

### 2.3 Case Reports

57. Benthien JP, *et al.*, Autologous matrix-induced chondrogenesis (AMIC). A one-step procedure for retropatellar articular resurfacing. *Acta Orthop Belg*. 2010;76(2):260-3. <https://www.ncbi.nlm.nih.gov/pubmed/20503954>
58. Sadlik B, *et al.*, Dry arthroscopy with a retraction system for matrix-aided cartilage repair of patellar lesions. *Arthroscopy Techniques*. 2014;3(1):e141-e4. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3986628/pdf/main.pdf>



### 3 AMIC ANKLE

#### 3.1 Case Series

59. Richter M, *et al.*, Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral lesions at the ankle as part of a complex surgical approach - 5-year follow-up. *Foot Ankle Surg.* 2022. <https://www.ncbi.nlm.nih.gov/pubmed/35803836>
60. Gottschalk O, *et al.*, Evaluation of the new defined EFAS score (European foot and ankle society score) in relation to already established functional scores (FFI, MOXFQ) after cartilage reconstructive therapy (AMIC®) for osteochondral lesion of the talus. *Foot and Ankle Surgery.* 2022. <https://pubmed.ncbi.nlm.nih.gov/35144852/>
61. Gottschalk O, *et al.*, Correlation between EFAS- and MOCART score and clinical outcome after AMIC((R))-procedure for osteochondral lesion of the talus. *Arch Orthop Trauma Surg.* 2022. <https://www.ncbi.nlm.nih.gov/pubmed/35597883>
62. Casari FA, *et al.*, The Role of Magnetic Resonance Imaging in Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: Analyzing MOCART 1 and 2.0. *Cartilage.* 2021;13(1\_suppl):639s-45s. <https://pubmed.ncbi.nlm.nih.gov/32741215/>
63. Götze C, *et al.*, AMIC for traumatic focal osteochondral defect of the talar shoulder: a 5 years follow-up prospective cohort study. *BMC Musculoskelet Disord.* 2021;22(1):638. <https://pubmed.ncbi.nlm.nih.gov/34303367/>
64. Ahrend M-D, *et al.*, Preexisting and treated concomitant ankle instability does not compromise patient-reported outcomes of solitary osteochondral lesions of the talus treated with matrix-induced bone marrow stimulation in the first postoperative year: data from the German Cartilage Registry (KnorpelRegister DGOU). *Knee Surgery, Sports Traumatology, Arthroscopy.* 2020. <https://pubmed.ncbi.nlm.nih.gov/32737525/>
65. Ayyaswamy B, *et al.*, Early to medium term outcomes of osteochondral lesions of the talus treated by autologous matrix induced chondrogenesis (AMIC). *Foot Ankle Surg.* 2020. <https://www.ncbi.nlm.nih.gov/pubmed/32414700>
66. Gottschalk O, *et al.*, Influence of the Medial Malleolus Osteotomy on the Clinical Outcome of M-BMS + I/III Collagen Scaffold in Medial Talar Osteochondral Lesion (German Cartilage Register/Knorpelregister DGOU). *Cartilage.* 2020:1947603520961169. <https://www.ncbi.nlm.nih.gov/pubmed/33030049>
67. Götze C, *et al.*, AMIC for Focal Osteochondral Defect of the Talar Shoulder. . *Life.* 2020;10:328. <https://pubmed.ncbi.nlm.nih.gov/33291383/>
68. Körner D, *et al.*, Concomitant ankle instability has a negative impact on the quality of life in patients with osteochondral lesions of the talus: data from the German Cartilage Registry (KnorpelRegister DGOU). *Knee Surg Sports Traumatol Arthrosc.* 2020;28(10):3339-46. <https://www.ncbi.nlm.nih.gov/pubmed/32240347>
69. Viehofer AF, *et al.*, Smoking Is Associated with Anterior Ankle Impingement After Isolated Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus. *Cartilage.* 2020:1947603520959405. <https://www.ncbi.nlm.nih.gov/pubmed/32940049>
70. D'Ambrosi R, *et al.*, Return to Sport After Arthroscopic Autologous Matrix-Induced Chondrogenesis for Patients With Osteochondral Lesion of the Talus. *Clin J Sport Med.* 2019;29(6):470-5. <https://www.ncbi.nlm.nih.gov/pubmed/31688177>
71. Galla M, *et al.*, Open reconstruction with autologous spongiosa grafts and matrix-induced chondrogenesis for osteochondral lesions of the talus can be performed without medial malleolar osteotomy. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(9):2789-95. <https://www.ncbi.nlm.nih.gov/pubmed/30019075>

72. Murphy EP, *et al.*, Matrix-associated stem cell transplantation is successful in treating talar osteochondral lesions. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(9):2737-43. <https://www.ncbi.nlm.nih.gov/pubmed/30888452>
73. Richter M, *et al.*, Matrix-associated stem cell transplantation (MAST) in chondral lesions at the ankle as part of a complex surgical approach- 5-year-follow-up in 100 patients. *Foot and Ankle Surgery.* 2019;25(3):264-71. <https://www.ncbi.nlm.nih.gov/pubmed/29409182>
74. Sadlik B, *et al.*, Surgical repair of osteochondral lesions of the talus using biologic inlay osteochondral reconstruction: Clinical outcomes after treatment using a medial malleolar osteotomy approach compared to an arthroscopically-assisted approach. *Foot and Ankle Surgery.* 2019;25(4):449-56. <https://www.ncbi.nlm.nih.gov/pubmed/30321967>
75. Weigelt L, *et al.*, Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A Clinical and Radiological 2- to 8-Year Follow-up Study. *Am J Sports Med.* 2019;47(7):1679-86. <https://www.ncbi.nlm.nih.gov/pubmed/31084491>
76. Baumfeld T, *et al.*, All-arthroscopic AMIC((R)) (AT-AMIC) for the treatment of talar osteochondral defects: A short follow-up case series. *Foot (Edinb).* 2018;37:23-7. <https://www.ncbi.nlm.nih.gov/pubmed/30321855>
77. D'Ambrosi R, *et al.*, The role of bone marrow edema on osteochondral lesions of the talus. *Foot Ankle Surg.* 2018;24(3):229-35. <https://www.ncbi.nlm.nih.gov/pubmed/29409254>
78. Usuelli FG, *et al.*, All-arthroscopic AMIC((R)) (AT-AMIC((R))) technique with autologous bone graft for talar osteochondral defects: clinical and radiological results. *Knee Surg Sports Traumatol Arthrosc.* 2018;26(3):875-81. <https://www.ncbi.nlm.nih.gov/pubmed/27620469>
79. D'Ambrosi R, *et al.*, Osteochondral Lesions of the Talus and Autologous Matrix-Induced Chondrogenesis: Is Age a Negative Predictor Outcome? *Arthroscopy.* 2017;33(2):428-35. <https://www.ncbi.nlm.nih.gov/pubmed/27956234>
80. D'Ambrosi R, *et al.*, Combining Microfractures, Autologous Bone Graft, and Autologous Matrix-Induced Chondrogenesis for the Treatment of Juvenile Osteochondral Talar Lesions. *Foot Ankle Int.* 2017;38(5):485-95. <https://www.ncbi.nlm.nih.gov/pubmed/28076977>
81. Gottschalk O, *et al.*, Functional Medium-Term Results After Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A 5-Year Prospective Cohort Study. *J Foot Ankle Surg.* 2017;56(5):930-6. <https://www.ncbi.nlm.nih.gov/pubmed/28647522>
82. Usuelli FG, *et al.*, The Impact of Weight on Arthroscopic Osteochondral Talar Reconstruction. *Foot Ankle Int.* 2017;38(6):612-20. <https://pubmed.ncbi.nlm.nih.gov/28379733/>
83. Kubosch EJ, *et al.*, Clinical outcome and T2 assessment following autologous matrix-induced chondrogenesis in osteochondral lesions of the talus. *Int Orthop.* 2016;40(1):65-71. <https://www.ncbi.nlm.nih.gov/pubmed/26346373>
84. Wiewiorski M, *et al.*, Sports Activity After Reconstruction of Osteochondral Lesions of the Talus With Autologous Spongiosa Grafts and Autologous Matrix-Induced Chondrogenesis. *Am J Sports Med.* 2016;44(10):2651-8. <https://www.ncbi.nlm.nih.gov/pubmed/27587743>
85. Valderrabano V, *et al.*, Osteochondral lesions of the ankle joint in professional soccer players: treatment with autologous matrix-induced chondrogenesis. *Foot Ankle Spec.* 2014;7(6):522-8. <https://www.ncbi.nlm.nih.gov/pubmed/25037954>
86. Richter M, *et al.*, Matrix-associated stem cell transplantation (MAST) in chondral defects of foot and ankle is effective. *Foot and Ankle Surgery.* 2013;19(2):84-90. <https://www.ncbi.nlm.nih.gov/pubmed/23548448>



87. Valderrabano V, *et al.*, Reconstruction of osteochondral lesions of the talus with autologous spongiosa grafts and autologous matrix-induced chondrogenesis. *Am J Sports Med.* 2013;41(3):519-27. <https://www.ncbi.nlm.nih.gov/pubmed/23393079>
88. Wiewiorski M, *et al.*, Delayed gadolinium-enhanced MRI of cartilage of the ankle joint: results after autologous matrix-induced chondrogenesis (AMIC)-aided reconstruction of osteochondral lesions of the talus. *Clinical radiology.* 2013;68(10):1031-8. <https://pubmed.ncbi.nlm.nih.gov/23809267/>

### 3.2 Case Control

89. Migliorini, F., *et al.*, (2021). "Autologous Matrix Induced Chondrogenesis (AMIC) Compared to Microfractures for Chondral Defects of the Talar Shoulder: A Five-Year Follow-Up Prospective Cohort Study." *Life* 11(3): 244. <https://www.mdpi.com/2075-1729/11/3/244>
90. Ackermann, J., *et al.*, (2021). "Autologous Matrix-Induced Chondrogenesis With Lateral Ligament Stabilization for Osteochondral Lesions of the Talus in Patients With Ankle Instability." *Orthopaedic Journal of Sports Medicine* 9(5): 23259671211007439. <https://doi.org/10.1177/23259671211007439>
91. Becher, C., *et al.*, (2019). "Arthroscopic microfracture vs. arthroscopic autologous matrix-induced chondrogenesis for the treatment of articular cartilage defects of the talus." *Knee Surg Sports Traumatol Arthrosc* 27(9): 2731-2736. <https://www.ncbi.nlm.nih.gov/pubmed/30392029>
92. Richter, M., *et al.*, (2019). "Comparison Matrix-Associated Stem Cell Transplantation (MAST) with Autologous Matrix Induced Chondrogenesis plus Peripheral Blood Concentrate (AMIC + PBC) in Chondral Lesions at the Ankle—A clinical matched-patient analysis." *Foot and Ankle Surgery* S1268-7731(19)30141-9. <https://www.ncbi.nlm.nih.gov/pubmed/31548148>

### 3.3 Systematic Review

93. Migliorini F, *et al.* (2022) Autologous Matrix-Induced Chondrogenesis (AMIC) for Osteochondral Defects of the Talus: A Systematic Review. *Life.*12(11):1738. <https://www.mdpi.com/2075-1729/12/11/1738>
94. Migliorini, F., *et al.*, (2021). "Matrix-induced autologous chondrocyte implantation versus autologous matrix-induced chondrogenesis for chondral defects of the talus: a systematic review." *Br Med Bull.* <https://www.ncbi.nlm.nih.gov/pubmed/33940611>
95. Jantzen C, *et al.*, (2022). AMIC Procedure for Treatment of Osteochondral Lesions of Talus-A Systematic Review of the Current Literature. *J Foot Ankle Surg.* 2021. <https://www.ncbi.nlm.nih.gov/pubmed/35012836>

### 3.4 Meta-Analysis

96. Migliorini F, *et al.* (2022) Surgical Management of Focal Chondral Defects of the Talus: A Bayesian Network Meta-analysis. *Am J Sports Med.*50(10):2853-9. <https://www.ncbi.nlm.nih.gov/pubmed/34543085>
97. Walther M, *et al.*, (2020) Is there clinical evidence to support autologous matrix-induced chondrogenesis (AMIC) for chondral defects in the talus? A systematic review and meta-analysis. *Foot and Ankle Surgery.* 2020. <https://pubmed.ncbi.nlm.nih.gov/32811744/>

### 3.5 Guidelines

98. Aurich, M., *et al.*, (2017). "[Treatment of Osteochondral Lesions in the Ankle: A Guideline from the Group "Clinical Tissue Regeneration" of the German Society of Orthopaedics and Traumatology (DGOU)]." *Z Orthop Unfall* 155(1): 92-99. <https://www.ncbi.nlm.nih.gov/pubmed/27769090>

### 3.6 Case Reports & Expert Opinions

99. Kim BS, *et al.*, (2020) Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis. *J Korean Foot Ankle Soc.* 2020;24(2):61-8. <https://www.koreamed.org/SearchBasic.php?RID=2502911>
100. Hotfiel T, *et al.*, (2015) [Osteochondritis Dissecans of the Talus with Hindfoot Malalignment--Autologous Matrix-Induced Chondrogenesis with Lateral Calcaneal Distraction Osteotomy in an Internationally Successful Young Female Ski Racer]. *Sportverletz Sportschaden.* 2015;29(2):118-21. <https://pubmed.ncbi.nlm.nih.gov/25211309/>
101. Piontek T, *et al.*, (2015) Arthroscopic Treatment of Chondral and Osteochondral Defects in the Ankle Using the Autologous Matrix-Induced Chondrogenesis Technique. *Arthrosc Tech.* 2015;4(5):e463-9. <https://www.ncbi.nlm.nih.gov/pubmed/26697305>
102. Usuelli FG, *et al.*, (2015) All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Treatment of Osteochondral Lesions of the Talus. *Arthroscopy Techniques.* 2015;4(3):e255-e9. <https://www.ncbi.nlm.nih.gov/pubmed/26258040>
103. Syed F, *et al.*, (2014) Management of recurrent multiple osteochondral lesions of the talus (OCLT) in a young active patient. *J Clin Orthop Trauma.* 2014;5(2):99-102. <https://www.ncbi.nlm.nih.gov/pubmed/25983479>
104. Walther M, *et al.*, (2013) Scaffold based reconstruction of focal full thickness talar cartilage defects. *Clinical Research on Foot & Ankle.* 2013;1(2):1-5. <https://www.omicsonline.org/open-access/scaffold-based-reconstruction-of-focal-full-thickness-talar-cartilage-defects-2329-910X.1000115.pdf>
105. Wiewiorski M, *et al.*, (2013) Autologous matrix-induced chondrogenesis in osteochondral lesions of the talus. *Foot Ankle Clin.* 2013;18(1):151-8. <https://www.ncbi.nlm.nih.gov/pubmed/23465954>
106. Miska M, *et al.*, (2012) Reconstruction of a large osteochondral lesion of the distal tibia with an iliac crest graft and autologous matrix-induced chondrogenesis (AMIC): a case report. *J Foot Ankle Surg.* 2012;51(5):680-3. <https://www.ncbi.nlm.nih.gov/pubmed/22770901>
107. Wiewiorski M, *et al.*, (2012) Revision of failed osteochondral autologous transplantation procedure for chronic talus osteochondral lesion with iliac crest graft and autologous matrix-induced chondrogenesis: a case report. *Foot Ankle Spec.* 2012;5(2):115-20. <https://www.ncbi.nlm.nih.gov/pubmed/22293389>
108. Wiewiorski M, *et al.*, (2011) Autologous matrix-induced chondrogenesis aided reconstruction of a large focal osteochondral lesion of the talus. *Arch Orthop Trauma Surg.* 2011;131(3):293-6. <https://www.ncbi.nlm.nih.gov/pubmed/20091174>

## 4 AMIC HIP

### 4.1 Case Series

109. Steppacher, S. D., *et al.*, (2020). "Surgical hip dislocation with femoral osteotomy and bone grafting prevents head collapse in hips with advanced necrosis." *Hip Int* 30(4): 398-406. <https://pubmed.ncbi.nlm.nih.gov/31204506/>
110. Thorey, F., *et al.*, (2020). "Sustained benefit of autologous matrix-induced chondrogenesis for hip cartilage repair in a recreational athletic population." *Knee Surg Sports Traumatol Arthrosc* 28(7): 2309-2315. <https://www.ncbi.nlm.nih.gov/pubmed/31781800>
111. Leibold, C. S., *et al.*, (2019). "Femoral osteotomies for the treatment of avascular necrosis of the femoral head." *Oper Orthop Traumatol*. <https://www.ncbi.nlm.nih.gov/pubmed/31784775>
112. Goeminne, S., *et al.*, (2016). "Arthroscopic Treatment of Acetabular Cartilage Lesions in Cam-Type Hip Impingement with Membrane Induced Chondrogenesis versus Microfracturing." *Journal of Sports Science* 4: 9-17. <http://www.davidpublisher.org/index.php/Home/Article/index?id=24729.html>
113. Fontana A. (2016) Autologous Membrane Induced Chondrogenesis (AMIC) for the treatment of acetabular chondral defect. *Muscles, ligaments and tendons journal*.6(3):367-71. <https://pubmed.ncbi.nlm.nih.gov/28066742/>
114. Leunig, M., *et al.*, (2012). "Surgical technique: Second-generation bone marrow stimulation via surgical dislocation to treat hip cartilage lesions." *Clin Orthop Relat Res* 470(12): 3421-3431. <https://www.ncbi.nlm.nih.gov/pubmed/22773396>

### 4.2 Case Control

115. Sobti, A., *et al.*, (2020). "Autologous matrix-induced chondrogenesis and bone marrow aspirate concentrate compared with microfracture for arthroscopic treatment of femoroacetabular impingement and chondral lesions of the hip: bridging the osteoarthritis gap and facilitating enhanced recovery " *J Hip Preserv Surg*: 1-8. <https://pubmed.ncbi.nlm.nih.gov/33948205/>
116. de Girolamo, L., *et al.*, (2018). "Acetabular Chondral Lesions Associated With Femoroacetabular Impingement Treated by Autologous Matrix-Induced Chondrogenesis or Microfracture: A Comparative Study at 8-Year Follow-Up." *c* 34(11): 3012-3023. <https://www.ncbi.nlm.nih.gov/pubmed/30266548>
117. Fontana, A., *et al.*, (2015). "Sustained five-year benefit of autologous matrix-induced chondrogenesis for femoral acetabular impingement-induced chondral lesions compared with microfracture treatment." *Bone Joint J* 97-B(5): 628-635. <https://www.ncbi.nlm.nih.gov/pubmed/25922456>
118. Mancini, D., *et al.*, (2014). "Five-year results of arthroscopic techniques for the treatment of acetabular chondral lesions in femoroacetabular impingement." *Int Orthop* 38(10): 2057-2064. <https://www.ncbi.nlm.nih.gov/pubmed/24951948>

### 4.3 Systematic Review

119. Hotham, W. E., *et al.*, (2018). "A systematic review of surgical methods to restore articular cartilage in the hip." *Bone Joint Res* 7(5): 336-342. <https://www.ncbi.nlm.nih.gov/pubmed/29922453>

### 4.4 Guidelines

120. Jannelli E, *et al.*, (2020) Il ruolo dell'artroscopia d'anca nel trattamento delle lesioni condrali acetabolari: stato dell'arte tra passato e futuro. *Giornale Italiano di Ortopedia e Traumatologia*. 2020;46:32-9. <https://doi.org/10.32050/03900134-197>

121. Fickert S, *et al.*, (2017) [Biologic Reconstruction of Full Sized Cartilage Defects of the Hip: A Guideline from the DGOU Group "Clinical Tissue Regeneration" and the Hip Committee of the AGA]. *Z Orthop Unfall*. 2017;155(6):670-82. <https://www.ncbi.nlm.nih.gov/pubmed/28915523>
122. Jannelli E, *et al.*, (2017) Arthroscopic treatment of chondral defects in the hip: AMIC, MACI, microfragmented adipose tissue transplantation (MATT) and other options. *SICOT J*. 2017;3:43. <https://www.ncbi.nlm.nih.gov/pubmed/28589877>

#### **4.5 Case Reports & Expert Opinions**

123. Fontana, A. (2012). "A Novel Technique for Treating Cartilage Defects in the Hip: A Fully Arthroscopic Approach to Using Autologous Matrix-Induced Chondrogenesis." *Arthroscopy Techniques* 1(1): e63-e68. <https://pubmed.ncbi.nlm.nih.gov/23766978/>

## 5 AMIC METATARSOPHALANAGEAL

### 5.1 Case Series

124. Rajeev A, et al. (2022) Freiberg's disease of lesser metatarsals treated with bone grafting and autologous matrix induced chondrogenesis (AMIC) membrane - A series of 10 cases. *Foot Ankle Surg.* <https://www.ncbi.nlm.nih.gov/pubmed/36572615>
125. Richter M, et al., (2022) Autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint - 5-year follow-up. *Foot and Ankle Surgery.* <https://pubmed.ncbi.nlm.nih.gov/35850950/>
126. Nurmukhametov MR, et al., (2021) The Use of Autologous Matrix-Induced Chondrogenesis as a Surgical Treatment for Patients with the First Metatarsophalangeal Joint Osteoarthritis: Immediate and Medium-Term Results. *Cartilage.* 2021:1354S-65S. <https://www.ncbi.nlm.nih.gov/pubmed/32917097>
127. Nurmukhametov M, et al., (2020) Use Of First Metatarsophalangeal Joint Chondroplasty With The Autologous Matrix-Induced Chondrogenesis Technique For The Treatment Of Patients With Hallux Rigidus: Immediate Results. . *Rheumatology Science and Practice.* 2020;58(1):97-101. <https://rsp.elpub.ru/rsp/article/view/2849/1935>
128. Richter M, et al., (2019) Mid-term (4–7 years) results of matrix-associated stem cell transplantation (MAST) in chondral defects of the first metatarsophalangeal joint. *Fuß & Sprunggelenk.* 2019;17(1):11-20. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8696342/>
129. Richter M, et al., (2017) Matrix-associated stem cell transplantation (MAST) in chondral defects of the 1st metatarsophalangeal joint is safe and effective-2-year-follow-up in 20 patients. *Foot and Ankle Surgery.* 2017;23(3):195-200. <https://www.ncbi.nlm.nih.gov/pubmed/28865590>

### 5.2 Case Control

130. Richter, M., *et al.*, (2020). "Matrix-associated stem cell transplantation (MAST) versus autologous matrix induced chondrogenesis plus peripheral blood concentrate (AMIC+PBC) in chondral defects of the first metatarsophalangeal joint – A clinical cohort analysis." *Fuß & Sprunggelenk* **18**(3): 217-226. <http://www.sciencedirect.com/science/article/pii/S1619998720300763>

### 5.3 Case Report

131. Kriegelstein S, et al. (2012) Autologous matrix-induced chondrogenesis at the first metatarsophalangeal joint. *Fuss und Sprunggelenk.*10(3):191-5. <http://dx.doi.org/10.1016/j.fuspru.2012.06.009>

## 6 AMIC UPPER EXTREMITY

### 6.1 Case Series

132. Cuéllar, A., *et al.*, (2016). "The Use of All-Arthroscopic Autologous Matrix-Induced Chondrogenesis for the Management of Humeral and Glenoid Chondral Defects in the Shoulder." *Arthroscopy Techniques* 5(2): e223-e227.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4912974/pdf/main.pdf>

### 6.2 Case Report

133. De Vega PLO, *et al.*, (2021) AMIC Technique for the Treatment of Chondral Injuries of the Hand and Wrist. *Revista Iberoamericana de Cirugia de la Mano*. 2021;49(2):E165-E75.  
<https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0041-1739163>
134. Buchmann, S., *et al.*, (2012). "Early clinical and structural results after autologous chondrocyte transplantation at the glenohumeral joint." *J Shoulder Elbow Surg* 21(9): 1213-1221. <https://www.ncbi.nlm.nih.gov/pubmed/22047789>



## 7 Hyaline-like cartilage with Chondro-Gide

- (99.) Kim BS, *et al.*, Operative Treatment for Osteochondral Lesions of the Talus: Bone Marrow Aspirate Concentrate and Matrix-induced Chondrogenesis. *J Korean Foot Ankle Soc.* 2020;24(2):61-8. <https://doi.org/10.14193/jkfas.2020.24.2.61>
135. Zhang C, *et al.*, One-Step Cartilage Repair Technique as a Next Generation of Cell Therapy for Cartilage Defects: Biological Characteristics, Preclinical Application, Surgical Techniques, and Clinical Developments. *Arthroscopy.* 2016;32(7):1444-50. <https://www.ncbi.nlm.nih.gov/pubmed/27129375>
- (19.) Gobbi A, *et al.*, One-step surgery with multipotent stem cells for the treatment of large full-thickness chondral defects of the knee. *Am J Sports Med.* 2014;42(3):648-57. <https://www.ncbi.nlm.nih.gov/pubmed/24458240>
- (88.) Wiewiorski M, *et al.*, Delayed gadolinium-enhanced MRI of cartilage of the ankle joint: results after autologous matrix-induced chondrogenesis (AMIC)-aided reconstruction of osteochondral lesions of the talus. *Clinical radiology.* 2013;68(10):1031-8. <https://pubmed.ncbi.nlm.nih.gov/23809267/>
- (24.) Gobbi A, *et al.*, One-Step Cartilage Repair with Bone Marrow Aspirate Concentrated Cells and Collagen Matrix in Full-Thickness Knee Cartilage Lesions: Results at 2-Year Follow-up. *Cartilage.* 2011;2(3):286-99. <https://www.ncbi.nlm.nih.gov/pubmed/26069587>